

Please amend the above-captioned application as follows:

Version of Amendments with Markings to Show Changes Made.

IN THE SPECIFICATION:

On page 1, please amend the title as indicated below:

INTERVERTEBRAL [SPACER] SPACING IMPLANT SYSTEM

On page 14, starting at line 1, please replace the first paragraph with the following:

2023-01-23
Sub B1
The unique aspects and procedures relating to the spacer 10 will now be explained in more detail. Some of the key features of the invention comprise the size, shape and placement of spacer 10. The spacer 10 is preferably made of titanium, thus having a non-porous quality with a preferably smooth finish. The spacer 10 could also be made of ceramic, or any other suitable material that is inert or [and] biologically compatible. The term "non-porous" as used herein shall be construed broadly in accordance with the common, ordinary meaning of that term to refer to objects possessing an impediment to flow that would operate in the presence of fluid to impede or even block fluid flow through the object. In accordance with such common, ordinary meaning, such objects are either impermeable by liquid, or possess a limited degree of permeability that prevents liquid from passing

through the object in a manner that would be considered flow.
Examples of objects that are non-porous and impermeable include a
solid titanium or solid ceramic intervertebral spacer, or a
spacer made from impermeable bone material, or a spacer that is
coated or treated in some way to render it impermeable. Examples
of objects that are non-porous and possess a limited degree of
permeability, and which therefore do not permit fluid to pass
through them in a flowable manner, include biologically
compatible spacers made from bone, such as milled-bone allograft
spacers or particle-bone allograft spacers that are freeze-dried
and thereafter re-hydrated prior to insertion, or any other type
of non-porous spacer made from bone. Under the definition above,
the presence or absence of surface porosity on an object, such as
an intervertebral spacer, is irrelevant to whether the object is
porous or non-porous. The spacer 10 is thus constructed from a
rigid, non-resilient load-bearing material, one that is
preferably incapable of elastic deformation. The spacer 10, by
its anterior, convex sidewall 12 and its posterior, concave
sidewall 14, has thereby a concavo-convex contour with respect to
one dimension.

Clean Version of Amendments.

IN THE SPECIFICATION:

On page 1, please replace the title with:

INTERVERTEBRAL SPACING IMPLANT SYSTEM

On page 2, after CROSS-REFERENCE TO RELATED APPLICATIONS,
please insert the following paragraph:

This application is a division of co-pending U.S. Patent Application Serial No. 09/592,072, filed June 12, 2000, entitled "INTERVERTEBRAL SPACER" which is hereby incorporated by reference herein in its entirety, including but not limited to those portions that specifically appear hereinafter.

On page 14, starting at line 1, please replace the first paragraph with the following:

The unique aspects and procedures relating to the spacer 10 will now be explained in more detail. Some of the key features of the invention comprise the size, shape and placement of spacer 10. The spacer 10 is preferably made of titanium, thus having a non-porous quality with a preferably smooth finish. The spacer 10 could also be made of ceramic, or any other suitable material

20250701 105500

that is inert or biologically compatible. The term "non-porous" as used herein shall be construed broadly in accordance with the common, ordinary meaning of that term to refer to objects possessing an impediment to flow that would operate in the presence of fluid to impede or even block fluid flow through the object. In accordance with such common, ordinary meaning, such objects are either impermeable by liquid, or possess a limited degree of permeability that prevents liquid from passing through the object in a manner that would be considered flow. Examples of objects that are non-porous and impermeable include a solid titanium or solid ceramic intervertebral spacer, or a spacer made from impermeable bone material, or a spacer that is coated or treated in some way to render it impermeable. Examples of objects that are non-porous and possess a limited degree of permeability, and which therefore do not permit fluid to pass through them in a flowable manner, include biologically compatible spacers made from bone, such as milled-bone allograft spacers or particle-bone allograft spacers that are freeze-dried and thereafter re-hydrated prior to insertion, or any other type of non-porous spacer made from bone. Under the definition above, the presence or absence of surface porosity on an object, such as an intervertebral spacer, is irrelevant to whether the object is porous or non-porous. The spacer 10 is thus constructed from a rigid, non-resilient load-bearing material, one that is